

RCCN 日成HVDR型环保阻燃线槽 Narrow Slot Wiring Duct

型号 Item No.				宽 × 高 High X width W×H	孔宽 Slot width Q	齿宽 Finger width P	电线容量 以2.0平方计算 Wire capability/2.0sq	标准长度 Standard Length
灰色Gray RAL7030	白色White RAL9016	蓝色Blue RAL5015	黑色Black RAL9005					
HVDR2545	HVDR2545W	HVDR2545E	HVDR2545B	25×45	5	8	20~25pcs	每支 2米 含槽底槽盖
HVDR3345	HVDR3345W	HVDR3345E	HVDR3345B	33×45	5	8	40~55pcs	
HVDR4545	HVDR4545W	HVDR4545E	HVDR4545B	45×45	5	8	60~70pcs	
HVDR6545	HVDR6545W	HVDR6545E	HVDR6545B	65×45	5	8	110~120pcs	
HVDR2050	HVDR2050W	HVDR2050E	HVDR2050B	20×50	5	8	18~28pcs	
HVDR2550	HVDR2550W	HVDR2550E	HVDR2550B	25×50	5	8	20~30pcs	
HVDR3050	HVDR3050W	HVDR3050E	HVDR3050B	30×50	5	8	25~40pcs	
HVDR3550	HVDR3550W	HVDR3550E	HVDR3550B	35×50	5	8	40~60pcs	
HVDR4050	HVDR4050W	HVDR4050E	HVDR4050B	40×50	5	8	60~70pcs	
HVDR4550	HVDR4550W	HVDR4550E	HVDR4550B	45×50	5	8	70~80pcs	
HVDR5050	HVDR5050W	HVDR5050E	HVDR5050B	50×50	5	8	80~90pcs	
HVDR5550	HVDR5550W	HVDR5550E	HVDR5550B	55×50	5	8	85~95pcs	
HVDR6050	HVDR6050W	HVDR6050E	HVDR6050B	60×50	5	8	100~120pcs	
HVDR7550	HVDR7550W	HVDR7550E	HVDR7550B	75×50	5	8	150~170pcs	
HVDR8050	HVDR8050W	HVDR8050E	HVDR8050B	80×50	5	8	160~180pcs	
HVDR10050	HVDR10050W	HVDR10050E	HVDR10050B	100×50	5	8	200~250pcs	
HVDR12555	HVDR12555W	HVDR12555E	HVDR12555B	125×55	5	8	220~270pcs	
HVDR2060	HVDR2060W	HVDR2060E	HVDR2060B	20×60	5	8	35~45pcs	
HVDR2560	HVDR2560W	HVDR2560E	HVDR2560B	25×60	5	8	40~50pcs	
HVDR3060	HVDR3060W	HVDR3060E	HVDR3060B	30×60	5	8	60~80pcs	
HVDR3560	HVDR3560W	HVDR3560E	HVDR3560B	35×60	5	8	90~105pcs	
HVDR4060	HVDR4060W	HVDR4060E	HVDR4060B	40×60	5	8	100~115pcs	
HVDR4560	HVDR4560W	HVDR4560E	HVDR4560B	45×60	5	8	110~125pcs	
HVDR5060	HVDR5060W	HVDR5060E	HVDR5060B	50×60	5	8	120~135pcs	
HVDR6060	HVDR6060W	HVDR6060E	HVDR6060B	60×60	5	8	120~135pcs	
HVDR8060	HVDR8060W	HVDR8060E	HVDR8060B	80×60	5	8	180~210pcs	
HVDR10060	HVDR10060W	HVDR10060E	HVDR10060B	100×60	5	8	240~290pcs	
HVDR11060	HVDR11060W	HVDR11060E	HVDR11060B	110×60	5	8	250~300pcs	
HVDR12060	HVDR12060W	HVDR12060E	HVDR12060B	120×60	5	8	260~320pcs	
HVDR15060	HVDR15060W	HVDR15060E	HVDR15060B	150×60	5	8	300~360pcs	
HVDR2565	HVDR2565W	HVDR2565E	HVDR2565B	25×65	5	8	40~50pcs	
HVDR3365	HVDR3365W	HVDR3365E	HVDR3365B	33×65	5	8	40~70pcs	
HVDR4565	HVDR4565W	HVDR4565E	HVDR4565B	45×65	5	8	110~120pcs	
HVDR6565	HVDR6565W	HVDR6565E	HVDR6565B	65×65	5	8	180~200pcs	
HVDR7265	HVDR7265W	HVDR7265E	HVDR7265B	72×65	5	8	180~230pcs	
HVDR5075	HVDR5075W	HVDR5075E	HVDR5075B	50×75	5	8	180~210pcs	
HVDR7575	HVDR7575W	HVDR7575E	HVDR7575B	75×75	5	8	200~240pcs	
HVDR10075	HVDR10075W	HVDR10075E	HVDR10075B	100×75	5	8	250~290pcs	
HVDR2580	HVDR2580W	HVDR2580E	HVDR2580B	25×80	5	8	100~120pcs	
HVDR3080	HVDR3080W	HVDR3080E	HVDR3080B	30×80	5	8	110~125pcs	
HVDR3580	HVDR3580W	HVDR3580E	HVDR3580B	35×80	5	8	110~130pcs	
HVDR4080	HVDR4080W	HVDR4080E	HVDR4080B	40×80	5	8	140~160pcs	
HVDR4580	HVDR4580W	HVDR4580E	HVDR4580B	45×80	5	8	140~160pcs	
HVDR5080	HVDR5080W	HVDR5080E	HVDR5080B	50×80	5	8	160~180pcs	
HVDR5580	HVDR5580W	HVDR5580E	HVDR5580B	55×80	5	8	160~180pcs	
HVDR6080	HVDR6080W	HVDR6080E	HVDR6080B	60×80	5	8	180~210pcs	
HVDR8080	HVDR8080W	HVDR8080E	HVDR8080B	80×80	5	8	240~290pcs	
HVDR10080	HVDR10080W	HVDR10080E	HVDR10080B	100×80	5	8	260~350pcs	
HVDR12080	HVDR12080W	HVDR12080E	HVDR12080B	120×80	5	8	280~380pcs	
HVDR14080	HVDR14080W	HVDR14080E	HVDR14080B	140×80	5	8	350~450pcs	
HVDR25100	HVDR25100W	HVDR25100E	HVDR25100B	25×100	5	8	110~160pcs	
HVDR33100	HVDR33100W	HVDR33100E	HVDR33100B	33×100	5	8	130~165pcs	
HVDR40100	HVDR40100W	HVDR40100E	HVDR40100B	40×100	5	8	130~175pcs	
HVDR50100	HVDR50100W	HVDR50100E	HVDR50100B	50×100	5	8	220~250pcs	
HVDR60100	HVDR60100W	HVDR60100E	HVDR60100B	60×100	5	8	240~290pcs	
HVDR70100	HVDR70100W	HVDR70100E	HVDR70100B	70×100	5	8	250~340pcs	
HVDR75100	HVDR75100W	HVDR75100E	HVDR75100B	75×100	5	8	260~350pcs	
HVDR80100	HVDR80100W	HVDR80100E	HVDR80100B	80×100	5	8	260~350pcs	
HVDR100100	HVDR100100W	HVDR100100E	HVDR100100B	100×100	5	8	300~400pcs	
HVDR120100	HVDR120100W	HVDR120100E	HVDR120100B	120×100	5	8	350~450pcs	
HVDR150100	HVDR150100W	HVDR150100E	HVDR150100B	150×100	5	8	400~650pcs	
HVDR100130	HVDR100130W	HVDR100130E	HVDR100130B	100×130	5	8	350~450pcs	
HVDR200100	HVDR200100W	HVDR200100E	HVDR200100B	200×100	5	8	600~800pcs	
HVDR200150	HVDR200150W	HVDR200150E	HVDR200150B	200×150	5	8	900~1200pcs	

Pcs/Branch
2M

Including truning and lids


每支
2米

含槽底槽盖

Pcs/Branch
2M

Including truning and lids

RCCN 日成HVDR型环保阻燃线槽 Narrow Slot Wiring Duct



特点/Features	优点/Advantages	益处/Benefits
细的齿和细的孔 Narrow finger and slot design	较近的电器接线空间满足高密度排线 Allows further fanning of wires for neater wire	允许更多的排线,使布线效果整体美观 Mmanagement in high-density control panels
环保阻燃材料 Rohs approved Enviroment-friendly Material	符合欧盟ROHS环保测试, 符合美国UL94V-0,良好的阻燃性 Approved by EU Rohs, Compliant with US UL 94V-0,good inflaming	环保不含有铅的PVC 不会对人体健康构成危害,材料良好阻燃性, 使明火自熄,在着火的情况下,保证安全 Eliminates health concerns associated with PVC that contains lead
光滑的边角 Smooth rounded edges	齿的顶端和孔的边缘光滑 Smooth edges in duct slots and at top of duct fingers	防止电线和手被毛刺割伤 Protects hands and wiring/cabling from abrasion
防滑盖 non-slip liner inside duct covers)	安装时不容易滑盖 Will not slide easily when installed on duct base	防运输振动导致滑盖 防线槽垂直安装时滑盖 Cover stays in place during shipment, vibration and when in a vertical orientation,eliminating rework
平整的盖子设计 Flush cover design Greater capacity than traditional duct designs	比传统的设计有更大的空间 盖子与槽体齐平 Cover sits flush with sidewall	比老款装相同数量的电线表面更平整美观 Can potentially use a smaller size wiring duct for same number of wires Provides a neat and finished appearance
冲孔断面/Slot smooth	冲孔后齿的表面平整光滑 Smooth edge after punching	不用修毛刺,节省时间 No need to get offer abrasion, save time
V型开孔设计 V-shaped slot lead-in V-shape funnels wires into slot for	V型槽孔使电线更易装入 Easier insertion	加快电线安装 Speeds wire installation
四种颜色可选 Four different colors	可用于不同场合的安装要求。 Suitable to different environments using	项目对颜色有要求时选择范围更加的广泛更快的满足终端用户的需求。 Can meet different customers' request in different project
通过多项认证 Approved by many certificates	美国UL,加拿大CULUS, 欧盟CE ,ROHS,REACH 铁道部机车阻燃低烟认证。 America UL,Canada CULUS, EuropeCE ,ROHS,REACH Flamily and low smoking certificate	满足项目应用零配件需要提供产品认证,确保产品在全球各地均可放心使用 Can provide related certificates of the projects or parts need



